

## Supplementary Online Content

Yates K, Lång U, Cederlöf M, et al. Association of psychotic experiences with subsequent risk of suicidal ideation, suicide attempts, and suicide deaths: a systematic review and meta-analysis of longitudinal population studies. *JAMA Psychiatry*. Published online November 28, 2018. doi:10.1001/jamapsychiatry.2018.3514

**eTable.** Appraisal of methodological quality (Newcastle–Ottawa Scale)

**eFigure 1.** Funnel plots for publication bias


**eFigure 2.** Bubbleplot showing the association between psychotic experiences and suicidality over time.

This supplementary material has been provided by the authors to give readers additional information about their work.


**eTable. Appraisal of methodological quality (Newcastle–Ottawa Scale)**

<b>Author (year)</b>	<b>Selection</b>	<b>Comparability</b>	<b>Outcome</b>	<b>Total</b>
Bromet <i>et al.</i> (2017)	***		**	5
Cederlöf <i>et al.</i> (2017)	***	*	**	6
Connell <i>et al.</i> (2016)	***	*	**	6
Fisher <i>et al.</i> (2013)	****	*	***	8
Honings <i>et al.</i> (2016)	****		**	6
Kelleher <i>et al.</i> (2013)	***	*	***	7
Kelleher <i>et al.</i> (2014)	***		***	6
Martin <i>et al.</i> (2015)	***	*	**	6
Sharifi <i>et al.</i> (2015)	***	*	***	7
Sullivan <i>et al.</i> (2015)	***	*	***	7


a)



b)



**eFigure 1: Funnel plots for publication bias.** Studies are shown for a) suicide ideation and b) suicide attempt.



**eFigure 2: Bubbleplot showing the association between PE and suicidality over time.** Studies are shown for a) suicide ideation and b) suicide attempt.